



RALSON
TYRES TREAD NEW PATHS

PERFECT
FOR EVERY RIDER,
PERFECT
FOR EVERY RIDE.



**TO SOME,
REACHING THE TOP
IS JUST THE START.**



Ralson's pedigree and expertise

04

Our advanced R&D solutions

07

Bicycle tyre terminology explained

11

Know the different types of tyres

13

Innovations that keep us moving

15

Choose the tyre that's perfect for you.

12-16 inches

19

18-22 inches

27

24 inches

37

26 inches

45

27 inches

65

28-29 inches

71

All about E-bikes

91

700 series

97



HALF A CENTURY OF EXPERTISE IN EVERY RALSON TYRE

It takes,
50 years of innovation
with presence across
70 countries,
producing 37 lakh
tyres per month
to be regarded as
India's No. 1
bicycle tyre manufacturer.



India's No.1 bicycle
tyre manufacturer



Global presence
across 70 countries



Only bicycle tyre company in India
with an R&D facility recognised
by the Department of Science and
Industrial Research, Government of India.


RALSON IS INDIA'S NO.1 BICYCLE TYRE MANUFACTURER

Stands proudly among the 5 largest globally.



WHAT SETS RALSON APART

2 TYRES PER SECOND



PER DAY PRODUCTION OF
1,25,000 TYRES
& 1,25,000 TUBES



RALSON'S ADVANCED RESEARCH & DEVELOPMENT INFRASTRUCTURE

Ralson's advanced R&D centre undertakes intense research right from the materials entry & compound design stage to the stage of product development. It is equipped with world class instruments to do global benchmarking and gap analysis. It is recognized by DSIR, Government of India.



FOCUS AREAS OF RALSON'S R&D

Improving grip, comfort and riders' safety, enhancing the puncture resistance of the tyres, maximising the life of the tyre and reducing pedalling effort are the key pillars of performance that drive our research.

BICYCLE TYRE TERMINOLOGY



TREAD CONTACT PATCH:

The sweet spot! This is the area of your tyre meeting the road, impacting both grip and how easily you roll.



KNURLINGS:

Those tiny grooves on your tyre's sidewall? Knurling! It helps the inner tube hold on for dear life.



SIPES:

Think of them as tiny treads on your treads. Sipes improve grip on wet roads by channeling water away.



THREADS PER INCH:

This number reflects how tightly woven your tyre's casing is. More threads mean lighter weight and a supple ride.

DIFFERENT TYPES OF TYRES



CITY/ROAD, MOUNTAIN BIKE TYRES, FAT END TYRES,
GRAVEL TYRES, E-BIKE TYRES





CITY/ROAD TYRES:

Developed for urban road conditions, they typically have a smaller contact patch for a smoother ride, without compromising on durability and grip.



GRAVEL TYRES:

Gravel tyres allow you to ride on mixed terrain-like loose sand, paved roads and trails, but for technical terrains and extreme conditions, professional tyres may be required.



MOUNTAIN BIKE TYRES:

Designed with an even more aggressive tread pattern than gravel tyres, hilly-terrain tyres have a larger contact patch for better stability on off-road adventures.



FAT END TYRES:

Fat End tyres are the ultimate snow and sand specialists. Their extra-wide design allows for low-air pressure, creating a larger footprint for soft terrain, so you can conquer those epic winter adventures or beach rides.



E-BIKE TYRES:

E-bike tyres are made to handle the extra weight and power of electric bicycles. They're thicker, more puncture-resistant, and have a higher load-rating than standard bike tyres to support the bike and the rider.

INNOVATIONS

Gearing up for greater comfort, higher reliability and happier life.





GREATER COMFORT:

Ralson's lightweight fabrics and rubber compounds create a comfortable and smooth experience every ride.



LOW-ROLLING RESISTANCE:

Designed to reduce the energy loss as the tyre rolls, low-rolling resistance means decreasing the required rolling effort, increasing efficiency and reducing pedalling effort.



LOAD-CAPACITY:

Generally known as heavy duty tyres perfect for auto-rickshaws, the high-ply strength corresponds with the load-capacity increasing the ability to carry heavier weights.



E-BIKE TYRES/ PUNCTURE RESISTANCE:

With the increasing trend of electric bicycles, Ralson E-bike tyres are designed for the added speed, bumps and the weight of the electric motor with additional puncture-proof.



TUBELESS READY TYRES:

Tubeless-ready tyres, a modern cycling innovation, seal directly to the rim, eliminating inner tubes and ensuring easier maintenance.



FOLDABLE TYRES:

Folding tyres are crafted from lightweight, puncture-resistant materials, collapsing compactly for convenient transport and storage, ideal for touring cyclists.



COLOUR SIDE WALL AND COLOUR BAND TYRES:

Modern tyres with colored sidewalls enhance vehicle aesthetics, adding a unique and stylish touch to your ride.



REFLEX TAPE TYRES:

Enhance your bike's style and safety with reflex tape on the tyres, which reflects light to improve night time visibility.



GRAPHIC TYRES:

Enhance the aesthetic of your ride while increasing safety and visibility with Ralson's trendy-coloured sidewalls.



BUTYL TUBE:

Identified by a blue line along the circumference of the tyre, these tubes have superior air-retention qualities and higher-heat resistance, enabling the rider to travel longer distances in warmer temperatures as compared to regular rubber tubes.



MOULDED/NATURAL RUBBER TUBE:

These tubes are made from natural rubber, which offers high elasticity. This high elastic nature offers better air permeability and provides a more comfortable ride.



JOINTED TUBES:

An overlapping joint is used to construct these tubes, thus giving them more strength at the joint area as compared to other categories of tube. These tubes are also the most affordable from the range.

BEGIN YOUR JOURNEY OF A LIFETIME WITH RALSON

12-16 INCHES

From infants taking their first pedal strokes to parents guiding their children’s biking adventures, Ralson has the perfect tyre for your little one. With safety, durability, and comfort at the forefront, the small but mighty Ralson 12-14-16 inch tyres ensure every new rider enjoys a smooth and secure journey, right from their first adventure.

RALSON
TYRES TREAD NEW PATHS



12
INCHES



**GRIP FORCE
R-3106**

SIZE	ETRTO	TPI	MAX. PSI
12½x2¼	57-203	20	30

CATEGORY: BMX



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
12.5x1.75	47-203	20	40-60

CATEGORY: BMX



**ELECTRO TREAD
R-3201**

SIZE	ETRTO	TPI	MAX. PSI
12½x2¼	57-203	20	30

CATEGORY: BMX



**AERO EDGE
R-3803**

SIZE	ETRTO	TPI	MAX. PSI
12½x2¼	57-203	20	40

CATEGORY: BMX



**BUTTER FLY
R-4102**

SIZE	ETRTO	TPI	MAX. PSI
12½x2¼	57-203	20	30

CATEGORY: BMX



**COBRA
R-4104**

SIZE	ETRTO	TPI	MAX. PSI
12½x1.75x2¼	47-203	20	40

CATEGORY: BMX

12
INCHES

RALSON
TYRES TREAD NEW PATHS



**COMP III
R-4105**

SIZE	ETRTO	TPI	MAX. PSI
12½x2¼	57-203	20	30

CATEGORY: BMX



**EXPLORER
R-4151**

SIZE	ETRTO	TPI	MAX. PSI
12½x2.40	62-203	20	35-45

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
12½x2.125	54-203	20	35-45

CATEGORY: BMX

14
INCHES



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
14x1.75	47-254	20	40-60

CATEGORY: BMX



**ELECTRO TREAD
R-3201**

SIZE	ETRTO	TPI	MAX. PSI
14x1.75	47-254	20	35-50

CATEGORY: BMX

14
INCHES



**BUTTER FLY
R-4102**

SIZE	ETRTO	TPI	MAX. PSI
14x2.125	54-254	20	35

CATEGORY: BMX



**COBRA
R-4104**

SIZE	ETRTO	TPI	MAX. PSI
14x1 $\frac{3}{8}$ x1 $\frac{1}{8}$	47-288	20	35
14X1.75	47-254	20	35-50
14x1.95	50-254	20	40-65

CATEGORY: BMX



**EXPLORER
R-4151**

SIZE	ETRTO	TPI	MAX. PSI
14x2.40	62-254	20	35-45

CATEGORY: BMX



**METRO GLIDE
R-4401**

SIZE	ETRTO	TPI	MAX. PSI
14x1.50	40-254	20	50

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
14x2.125	54-254	20	35-45

CATEGORY: BMX

16
INCHES

RALSON
TYRES TREAD NEW PATHS



**SPEED DEMON
R-3122**

SIZE	ETRTO	TPI	MAX. PSI
16x1 $\frac{3}{8}$	37-349	20	65

CATEGORY: BMX



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	40-60

CATEGORY: BMX



**ELECTRO TREAD
R-3201**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	30-50

CATEGORY: BMX



**BUTTER FLY
R-4102**

SIZE	ETRTO	TPI	MAX. PSI
16x2,125	54-305	20	35-45

CATEGORY: BMX



**COBRA
R-4104**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	40
16x1.95	50-305	20	40-65

CATEGORY: BMX



**COMP III
R-4105**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	35

CATEGORY: BMX

16
INCHES



**FARMER
R-4108**

SIZE	ETRTO	TPI	MAX. PSI
16x2.125	54-305	20	35-45

CATEGORY: BMX



**VOLT VOYAGE
R-4124**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	35

CATEGORY: BMX



**EXPLORER
R-4151**

SIZE	ETRTO	TPI	MAX. PSI
16x2.35	60-305	20	35-45
16x2.40	62-305	20	35-45

CATEGORY: BMX



**COUNTRY HILL
R-4160**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	35

CATEGORY: BMX



**METRO GLIDE
R-4401**

SIZE	ETRTO	TPI	MAX. PSI
16x1.50	40-305	20	35

CATEGORY: BMX



**GRIP FORCE
R-4402**

SIZE	ETRTO	TPI	MAX. PSI
16x2.125	54-305	20	35-45

CATEGORY: BMX

16
INCHES

RALSON
TYRES TREAD NEW PATHS



**MINI BMX
R-4403**

SIZE	ETRTO	TPI	MAX. PSI
16x2.125	54-305	20	35-45

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
16x2.125	54-305	20	35-45

CATEGORY: BMX



**CROSS RIDER
R-4603**

SIZE	ETRTO	TPI	MAX. PSI
16x1.75	47-305	20	35

CATEGORY: BMX

MADE FOR YOUNG EXPLORERS

18 - 22 INCHES 

Tailored for energetic 6-9 year olds, our tyres provide the ideal mix of stability, traction, and durability. With enhanced grip and puncture resistance, they ensure a safe and smooth ride, allowing young riders to explore confidently and have endless fun.

RALSON
TYRES TREAD NEW PATHS



18
INCHES



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	40-60

CATEGORY: BMX



**ELECTRO TREAD
R-3201**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	35-50

CATEGORY: BMX



**COBRA
R-4104**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	35
18x1.95	50-355	20	40

CATEGORY: BMX



**COMP III
R-4105**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	35

CATEGORY: BMX



**TERRA TREAD
R-4118**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	35-50

CATEGORY: BMX



**EXPLORER
R-4151**

SIZE	ETRTO	TPI	MAX. PSI
18x2.35	60-355	20	35

CATEGORY: BMX

18
INCHES

RALSON
TYRES TREAD NEW PATHS



**COUNTRY HILL
R-4160**

SIZE	ETRTO	TPI	MAX. PSI
18x1.75	47-355	20	35

CATEGORY: BMX



**METRO GLIDE
R-4401**

SIZE	ETRTO	TPI	MAX. PSI
18x1.50	40-355	20	50

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
18x1.95	50-355	20	35-45
18x2.125	54-355	20	45

CATEGORY: BMX

20
INCHES



**ASTRA
R-3101**

SIZE	ETRTO	TPI	MAX. PSI
20x1 $\frac{3}{8}$	37-451	20	40-65

CATEGORY: BMX



**SPEED DEMON
R-3122**

SIZE	ETRTO	TPI	MAX. PSI
20x1 $\frac{3}{8}$	37-451	20	65

CATEGORY: BMX

20
INCHES



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	60

CATEGORY: BMX



**ELECTRO TREAD
R-3201**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50

CATEGORY: BMX



**FROST FURY
R-3805**

SIZE	ETRTO	TPI	MAX. PSI
20x3.00	76-406	20	40

CATEGORY: FAT



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
20x3.00	76-406	20/60/100/120	25-40

CATEGORY: FAT / PLUS PREMIUM



**BUTTER FLY
R-4102**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	35-45

CATEGORY: BMX



**COBRA
R-4104**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50
20x1.90	48-406	20	35
20x1.95	50-406	20	35-50

CATEGORY: BMX

20
INCHES

RALSON
TYRES TREAD NEW PATHS



**COMP III
R-4105**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50

CATEGORY: BMX



**CRAZE
R-4106**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50
20x1.95	50-406	20	35
20x2.125	54-406	20/60/100/120	35-45

CATEGORY: BMX



**DOTTED
R-4107**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	35-45

CATEGORY: BMX



**FARMER
R-4108**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50
20x2.125	54-406	20	35-45

CATEGORY: BMX



**FIRE
R-4109**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	35-45

CATEGORY: BMX



**VORTEX
R-4110**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	35-45

CATEGORY: BMX

20
INCHES



**NOVA TRAX
R-4112**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50

CATEGORY: BMX



**SAFARI
R-4120**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	35-50

CATEGORY: BMX



**VOLT VOYAGE
R-4124**

SIZE	ETRTO	TPI	MAX. PSI
20x1.75	47-406	20	20

CATEGORY: BMX



**RALSON
R-4127**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	30-50

CATEGORY: BMX



**MATRIX
R-4143**

SIZE	ETRTO	TPI	MAX. PSI
20x1.95	50-406	20	35

CATEGORY: BMX



**MATRIX
R-4149**

SIZE	ETRTO	TPI	MAX. PSI
20x2.40	62-406	20	50

CATEGORY: BMX / E-BIKE

20
INCHES

RALSON
TYRES TREAD NEW PATHS



**EXPLORER
R-4151**

SIZE	ETRTO	TPI	MAX. PSI
20x2,35	60-406	20	35-45
20x2,40	62-406	20	35-45

CATEGORY: BMX



**MICRO OCTAVE
R-4152**

SIZE	ETRTO	TPI	MAX. PSI
20x2,10	54-406	60/100/120	30-50

CATEGORY: BMX / PREMIUM



**TAIDE
R-4153**

SIZE	ETRTO	TPI	MAX. PSI
20x2,00	52-406	20	30-50

CATEGORY: MTB / PREMIUM



**COUNTRY HILL
R-4160**

SIZE	ETRTO	TPI	MAX. PSI
20x1,75	47-406	20	35-50

CATEGORY: BMX



**POLAR GRIP
R-4165**

SIZE	ETRTO	TPI	MAX. PSI
20x4,00	102-406	20	30

CATEGORY: FAT



**SLICK RIDE
R-4166**

SIZE	ETRTO	TPI	MAX. PSI
20x2,125	54-406	20	30-50
20x3,00	76-406	20/60/100/120	40

CATEGORY: BMX / E-BIKE /
FAT / PLUS PREMIUM

20
INCHES



**PIXEL
R-4168**

SIZE	ETRTO	TPI	MAX. PSI
20x2,10	54-406	20	50

CATEGORY: BMX



**POWER GRIP
R-4201**

SIZE	ETRTO	TPI	MAX. PSI
20x2,125	54-406	20	35-45

CATEGORY: BMX



**DEFENDOR
R-4202**

SIZE	ETRTO	TPI	MAX. PSI
20x2,125	54-406	20	35-45

CATEGORY: BMX



**RING OF FIRE
R-4203**

SIZE	ETRTO	TPI	MAX. PSI
20x2,125	54-406	20	35-45

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
20x2,125	54-406	20	35-45
20x2,25	57-406	20	40-65
20x2,35	60-406	20	35-45
20x2,40	62-406	20	35-45

CATEGORY: BMX / E-BIKE



**CROSS RIDER
R-4603**

SIZE	ETRTO	TPI	MAX. PSI
20x1,75	47-406	20	35-50

CATEGORY: BMX

20
INCHES

RALSON
TYRES TREAD NEW PATHS



**ACER GOLDEN
R-5701**

SIZE	ETRTO	TPI	MAX. PSI
20x2.35	60-406	20	35-45

CATEGORY: BMX / E-BIKE



**SPEED E
R-5702**

SIZE	ETRTO	TPI	MAX. PSI
20x4.00	102-406	20/60/100/120	15-30

CATEGORY: FAT / PLUS PREMIUM

22
INCHES



**TERRA TREAD
R-4118**

SIZE	ETRTO	TPI	MAX. PSI
22x1 $\frac{3}{8}$	37-501	20	40-65

CATEGORY: BMX



**ECO SPIN
R-4205**

SIZE	ETRTO	TPI	MAX. PSI
22x2.125	54-457	20	43

CATEGORY: BMX



**CROSS RIDER
R-4603**

SIZE	ETRTO	TPI	MAX. PSI
22x1.75	47-456	20	40-65

CATEGORY: BMX

BUILT FOR THE BOLD AND THE CURIOUS

24 INCHES

Whether cruising the neighbourhood or embarking on daring adventures, Ralson Tyres empower young riders to explore with confidence. Engineered for robust durability and performance across terrains and conditions, Ralson provides the reliability needed to be on top of every stretch of the journey.



HIGH
ENDURANCE



ALL-WEATHER
CAPABILITY



HIGH-PUNCTURE
RESISTANCE



TUBELESS
READY TYRES



FOLDABLE
TYRES

RALSON
TYRES TREAD NEW PATHS



24
INCHES



**BLACK PANTHER
R-1116**

SIZE	ETRTO	TPI	MAX. PSI
24x1½	40-534	20	50

CATEGORY: ROAD



**APPU/SUPER GRIP
R-2123**

SIZE	ETRTO	TPI	MAX. PSI
24x1¾	37-540	20	40-65
24x1½	40-534	20	50

CATEGORY: ROAD



**VENUS
R-3114**

SIZE	ETRTO	TPI	MAX. PSI
24x1½	40-534	20	50

CATEGORY: ROAD



**NZUKA
R-3152**

SIZE	ETRTO	TPI	MAX. PSI
24x1¾	37-540	20	85

CATEGORY: CYCLO CROSS



**STREAMY
R-3159**

SIZE	ETRTO	TPI	MAX. PSI
24x1¾	37-540	20	85

CATEGORY: BMX / CYCLO CROSS



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
24x1.75	47-507	20	60

CATEGORY: BMX / E-BIKE

24
INCHES

RALSON
TYRES TREAD NEW PATHS



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
24x2.40	62-507	20	35-55

CATEGORY: BMX



**COMP III
R-4105**

SIZE	ETRTO	TPI	MAX. PSI
24x1.75	47-507	20	40-65

CATEGORY: BMX



**CRAZE
R-4106**

SIZE	ETRTO	TPI	MAX. PSI
24x1.95	50-507	20	40-65

CATEGORY: BMX



**FARMER
R-4108**

SIZE	ETRTO	TPI	MAX. PSI
24x1.95	50-507	20	40-65

CATEGORY: BMX



**FIRE
R-4109**

SIZE	ETRTO	TPI	MAX. PSI
24x1.95	50-507	20	40-65
24x2.125	54-507	20	35-50

CATEGORY: BMX



**SAFARI
R-4120**

SIZE	ETRTO	TPI	MAX. PSI
24x1.75	47-507	20	40-65

CATEGORY: BMX

24
INCHES



**SPUTNIK
R-4123**

SIZE	ETRTO	TPI	MAX. PSI
24x2.125	54-507	20	35-50

CATEGORY: BMX



**SCORPION
R-4142**

SIZE	ETRTO	TPI	MAX. PSI
24x2.00	50-507	20	35-70

CATEGORY: BMX



**MICRO OCTAVE
R-4152**

SIZE	ETRTO	TPI	MAX. PSI
24x1.95	50-507	20	35-80
24x2.10	54-507	20	50
24x2.40	62-507	20	35-55

CATEGORY: BMX



**TAIDE
R-4153**

SIZE	ETRTO	TPI	MAX. PSI
24x2.00	52-507	20	35-65

CATEGORY: MTB / PREMIUM



**COUNTRY HILL
R-4160**

SIZE	ETRTO	TPI	MAX. PSI
24x1.75	47-507	20	40-65
24x2.00	50-507	20	35-70

CATEGORY: BMX



**STRONG BOY
R-4161**

SIZE	ETRTO	TPI	MAX. PSI
24x4.00	102-507	20/60/100/120	15-25

CATEGORY: FAT / PLUS PREMIUM

24
INCHES

RALSON
TYRES TREAD NEW PATHS



**CITY TRACK
R-4163**

SIZE	ETRTO	TPI	MAX. PSI
24x3.00	76-507	20	35

CATEGORY: FAT



**SLICK RIDE
R-4166**

SIZE	ETRTO	TPI	MAX. PSI
24x2.40	62-507	20	35-55
24x3.00	76-507	20/60/100/120	40
24x4.25	108-507	20/60/100/120	15-30

CATEGORY: FAT / PLUS PREMIUM



**PIXEL
R-4168**

SIZE	ETRTO	TPI	MAX. PSI
24x2.10	54-507	20	50

CATEGORY: BMX



**DEFENDOR
R-4202**

SIZE	ETRTO	TPI	MAX. PSI
24x1.95	50-507	20	40-65
24x2.125	54-507	20	35

CATEGORY: BMX



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
24x2.125	54-507	60/100/120	35-65
24x2.125	54-507	20	35-50

CATEGORY: BMX / E-BIKE



**ADVENTURE X
R-4904**

SIZE	ETRTO	TPI	MAX. PSI
24x2.35	60-507	20	40-65

CATEGORY: BMX

24
INCHES



ACER NAVIGATOR
R-5604

SIZE	ETRTO	TPI	MAX. PSI
24x2.40	60-507	20	35-55

CATEGORY: BMX

HOW TO RIDE SAFE AT NIGHT?



Wear reflective clothing. It makes you more visible to other road users at night.



Use safety gear, especially a helmet



The law requires you to have a white front light visible from 500 feet away, red rear light or reflector, and pedal or wheel reflectors. For extra visibility, add one or more red rear lights to your bike.



Remain on high alert while riding in the night to notice upcoming hazards early.



Do not ride close to parked cars to avoid getting hit by carelessly opened doors.





SAFE CYCLING TIPS TO KEEP IN MIND



Never bicycle against the direction of traffic



Do not fail to yield, as bicycle accidents generally occur at intersections.



Do not jump stop signs or red lights.



Never ride at night without reflective clothing or gear



Do not weave in and out of riding lanes



Avoid 'hugging' the curb



Never ride on the sidewalks



Avoid motor vehicle blind spots



Do not be distracted while riding

PAVING YOUR PATH TO INDEPENDENCE

26 INCHES



Engineered for the modern rider, Ralson Tyres combine durability and exceptional grip. Designed for effortless commutes and low maintenance, our tyres deliver a reliable and smooth ride. From campus cruisers to trailblazers, Ralson Tyres empower adventure seekers. Conquer rugged trails, navigate urban streets, or simply enjoy the open road—every journey becomes an unforgettable experience on Ralson Tyres.

RALSON
TYRES TREAD NEW PATHS



26
INCHES



**VAJRA SHAKTI
R-1012**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**RUF TUF
R-1101**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**CHETAK TUFANI
R-1107**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**LITTLE MASTER
R-1108**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	65

CATEGORY: ROAD



**PUNJAB TIGER
R-1110**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**RIB 2000
R-1115**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**BLACK PANTHER
R-1116**

SIZE	ETRTO	TPI	MAX. PSI
26x1½	40-584	20	50

CATEGORY: ROAD



**RUSTEM-E-ROAD
R-2115**

SIZE	ETRTO	TPI	MAX. PSI
26x1¾	37-590	20	65

CATEGORY: CYCLO CROSS



**SEVEN STAR
R-2119**

SIZE	ETRTO	TPI	MAX. PSI
26x1¾	37-590	20	65
26x1½	40-584	20	50

CATEGORY: CYCLO CROSS / ROAD



**NYLON GRIP
R-2120**

SIZE	ETRTO	TPI	MAX. PSI
26x1½	40-584	20	50

CATEGORY: ROAD



**MEGA STAR
R-2121**

SIZE	ETRTO	TPI	MAX. PSI
26x1½	40-584	20	50
26x1½x1¾	47-584	20	35

CATEGORY: ROAD



**SUPER GRIP
R-2123**

SIZE	ETRTO	TPI	MAX. PSI
26x1¾	37-590	20	65
26x1½	40-584	20	50

CATEGORY: CYCLO CROSS / ROAD

26
INCHES



**RACY
R-2126**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**SUPER SONIC
R-2141**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**SEVEN STAR
R-2119**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: CYCLO CROSS / ROAD



**JUMBO POWER
R-2153**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**ROYAL STAR
R-2154**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: CYCLO CROSS / ROAD



**EXTRA ROADSTAR
R-2203**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**MAHASHAKTI
R-2501**

SIZE	ETRTO	TPI	MAX. PSI
26x1½	40-584	20	50

CATEGORY: ROAD



**ASTRA
R-3101**

SIZE	ETRTO	TPI	MAX. PSI
26x1¾	37-590	20	65

CATEGORY: CYCLO CROSS



**BARON
R-3102**

SIZE	ETRTO	TPI	MAX. PSI
26x1½x1¼	47-584	20	35

CATEGORY: ROAD



**LION D'AFRIQUE
R-3103**

SIZE	ETRTO	TPI	MAX. PSI
26x1½x1¼	47-584	20	35

CATEGORY: ROAD



**CAT
R-3104**

SIZE	ETRTO	TPI	MAX. PSI
26x1¾	37-590	20	65

CATEGORY: CYCLO CROSS



**JUGGERNAUT
R-3105**

SIZE	ETRTO	TPI	MAX. PSI
26x2,00	57-571	20	45
26x2x1¾	57-571	20	45

CATEGORY: MTB

26
INCHES



**RACY
R-3107**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**RALSON TIGER
R-3108**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{5}{8}$	47-584	20	35

CATEGORY: ROAD



**RIB
R-3109**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**SIMBA
R-3111**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**STREET CAT
R-3113**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{4}$ x1 $\frac{1}{2}$	47-584	20	50

CATEGORY: ROAD



**ZIG ZAG
R-3115**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**SPEED ZONE
R-3116**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**ZIGMA
R-3117**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**CENTER RIB
R-3118**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: CYCLO CROSS / ROAD



**PRIDE
R-3119**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**STRYDER
R-3121**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x2	54-584	20	50

CATEGORY: MTB



**SUPER B
R-3123**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{3}{8}$	47-584	20	35

CATEGORY: ROAD

26
INCHES



**KAMONGO
R-3125**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**DIAMOND SUPREME
R-3141**

SIZE	ETRTO	TPI	MAX. PSI
26x2x1 $\frac{3}{4}$	57-571	20	45

CATEGORY: MTB



**DIAMOND SUPREME
HEAVY DUTY
R-3142**

SIZE	ETRTO	TPI	MAX. PSI
26x2x1 $\frac{3}{4}$	57-571	20	45

CATEGORY: MTB



**PRADHAN
R-3143**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$	40-584	20	50

CATEGORY: ROAD



**DIAMOND SUPREME
ULTRA TOUGH
R-3144**

SIZE	ETRTO	TPI	MAX. PSI
26x2x1 $\frac{3}{4}$	54-571	20	75

CATEGORY: MTB



**DIAMOND SUPREME
EXTREME GRIP
R-3145**

SIZE	ETRTO	TPI	MAX. PSI
26x2x1 $\frac{3}{4}$	54-571	20	75

CATEGORY: MTB

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**VELOCITY
R-3152**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**SPORTY
R-3161**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-540	20	85-110

CATEGORY: CYCLO CROSS



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	60/100/120	60

CATEGORY: MTB PREMIUM/E-BIKE PREMIUM



**CROSS COUNTRY
R-3202**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{1}{8}$	47-584	20	35

CATEGORY: ROAD



**SUPER STAR
R-3203**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{8}$	37-590	20	65

CATEGORY: CYCLO CROSS



**CARGO
R-3204**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{1}{8}$	47-584	20	35

CATEGORY: ROAD

26
INCHES



**TITAN
R-3401**

SIZE	ETRTO	TPI	MAX. PSI
26x2x1 $\frac{3}{4}$	57-571	20	45
26x2.125	54-559	20	35-45

CATEGORY: MTB



**GRIP MAX
R-3402**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{3}{4}$ x1 $\frac{1}{2}$	40-590	20	65

CATEGORY: CYCLO CROSS



**TOP PNEU ACTIVA
R-3601**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{1}{8}$	47-584	20	65

CATEGORY: ROAD



**REMORQUE
R-3602**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{1}{8}$	47-584	20	35

CATEGORY: ROAD



**JUMBO
R-3603**

SIZE	ETRTO	TPI	MAX. PSI
26x1 $\frac{1}{2}$ x1 $\frac{1}{8}$	47-584	20	35

CATEGORY: ROAD



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
26x3.00	76-559	60/100/120	25-40

CATEGORY: FAT / PLUS PREMIUM

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65
26x2.40	62-559	20	35-55

CATEGORY: MTB



**BEACH CRUISER
R-4101**

SIZE	ETRTO	TPI	MAX. PSI
26x1.50	40-559	20	40-65

CATEGORY: MTB



**CITY
R-4103**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**CRAZE
R-4106**

SIZE	ETRTO	TPI	MAX. PSI
26x1.90	48-559	20	40-65
26x1.95	50-559	20	40-65

CATEGORY: MTB



**FARMER
R-4108**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65
26x1½x2	54-584	20	50
26x2.125	54-559	20	35-45

CATEGORY: MTB



**FIRE
R-4109**

SIZE	ETRTO	TPI	MAX. PSI
26x1.90	48-559	20	40-65
26x1.95	50-559	20	40-65
26x2.125	54-559	20	35-45

CATEGORY: MTB

26
INCHES



**VORTEX
R-4110**

SIZE	ETRTO	TPI	MAX. PSI
26x2.125	54-559	20	35-45

CATEGORY: MTB



**LEOPARD
R-4111**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	40-60

CATEGORY: MTB



**MOBSTER
R-4113**

SIZE	ETRTO	TPI	MAX. PSI
26x2.10	54-559	20	35-65
26x2.70	70-559	20	30

CATEGORY: MTB



**HIMALAYAN TREK
R-4114**

SIZE	ETRTO	TPI	MAX. PSI
26x2.35	60-559	20	35-65
26x3.00	76-559	20	15-30

CATEGORY: MTB / FAT



**DYNAMO
R-4115**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**RAGE
R-4116**

SIZE	ETRTO	TPI	MAX. PSI
26x1.90	48-559	20	45-65
26x2.10	54-559	20	35-65

CATEGORY: MTB

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**SAFARI
R-4120**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	40-65

CATEGORY: MTB



**SEMI SLICK
R-4121**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**STORM
R-4122**

SIZE	ETRTO	TPI	MAX. PSI
26x1.90	48-559	20	40-65
26x1.95	50-559	20	40-65
26x2.00	54-559	20	40-65

CATEGORY: MTB



**VIPER
R-4125**

SIZE	ETRTO	TPI	MAX. PSI
26x2.125	54-559	20	35-45

CATEGORY: MTB



**OCTAVE
R-4126**

SIZE	ETRTO	TPI	MAX. PSI
26x2.10	54-559	20	35-65

CATEGORY: GRAVEL



**STURDY
R-4131**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB

26
INCHES



**DRAGON
R-4141**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**SCORPION
R-4142**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	45
26x1.95	50-559	20	40-65

CATEGORY: MTB



**MICRO OCTAVE
R-4152**

SIZE	ETRTO	TPI	MAX. PSI
26x2.10	54-559	60/100/120	65
26x2.40	62-559	20/60/100/120	35-55

CATEGORY: GRAVEL PREMIUM /
E-BIKE PREMIUM



**TRAIL BLAZER
R-4155**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65
26x1.75	47-559	60/100/120	40-65

CATEGORY: MTB / MTB PREMIUM



**HIMALAYAN TRAIL
R-4156**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	60/100/120	65
26x2.10	54-559	60/100/120	65

CATEGORY: MTB PREMIUM



**MOUNTAIN RIDER
R-4157**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65
26x2.10	54-559	20	35-65

CATEGORY: MTB

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**ALPINE TRAIL
R-4158**

SIZE	ETRTO	TPI	MAX. PSI
26x2,10	54-559	20	65
26x2,125	54-559	20	60

CATEGORY: MTB



**VECTOR
R-4159**

SIZE	ETRTO	TPI	MAX. PSI
26x2,10	54-559	20	35-65

CATEGORY: MTB



**COUNTRY HILL
R-4160**

SIZE	ETRTO	TPI	MAX. PSI
26x1,75	47-559	20	35
26x1,95	50-559	20	40-65

CATEGORY: MTB



**STRONG BOY
R-4161**

SIZE	ETRTO	TPI	MAX. PSI
26x4,00	102-559	20/60/100/120	20

CATEGORY: FAT / PLUS PREMIUM



**CITY TRACK
R-4163**

SIZE	ETRTO	TPI	MAX. PSI
26x2,35	60-559	20	35-65
26x3,00	76-559	20	35

CATEGORY: MTB / FAT



**ORION
R-4164**

SIZE	ETRTO	TPI	MAX. PSI
26x1,95	50-559	20	40-65

CATEGORY: MTB

26
INCHES



**SLICK RIDE
R-4166**

SIZE	ETRTO	TPI	MAX. PSI
26x3.00	76-559	20/60/100/120	40

CATEGORY: FAT / PLUS PREMIUM



**PIXEL
R-4168**

SIZE	ETRTO	TPI	MAX. PSI
26x2.10	54-559	20	35-65

CATEGORY: MTB



**DEFENDOR
R-4202**

SIZE	ETRTO	TPI	MAX. PSI
26x2.125	54-559	20	40-65

CATEGORY: MTB



**RING OF FIRE
R-4203**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65
26x2.125	54-559	20	35-45

CATEGORY: MTB



**BEACH
R-4204**

SIZE	ETRTO	TPI	MAX. PSI
26x1.50	40-559	20	40-65
26x1.95	50-559	20	40-65

CATEGORY: MTB



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
26x1.50	40-559	20	40-65

CATEGORY: MTB / E-BIKE

26
INCHES

RALSON
TYRES TREAD NEW PATHS



**CRUSADER
R-4901**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	35

CATEGORY: MTB



**MAXX GRIP
R-4902**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	35
26x1.90	48-559	20	40-65
26x1.95	50-559	20	40-65

CATEGORY: MTB



**TREK TRAX
R-4903**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ADVENTURE X
R-4904**

SIZE	ETRTO	TPI	MAX. PSI
26x2.35	60-559	20	35-65
26x3.00	76-559	20	35

CATEGORY: MTB



**FLAME
R-4905**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ACER ALLIGATOR
R-5601**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB

26
INCHES



**ACER AVIATOR
R-5602**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	40-60
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ACER IGNITOR
R-5603**

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	20	40-60
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ACER NAVIGATOR
R-5604**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ACER TERMINATOR
R-5605**

SIZE	ETRTO	TPI	MAX. PSI
26x1.95	50-559	20	40-65

CATEGORY: MTB



**ACER GOLDEN
R-5701**

SIZE	ETRTO	TPI	MAX. PSI
26x1.50	40-559	20	40-65
26x1.95	50-559	20	40-65
26x2.00	52-559	20	40-65

CATEGORY: ROAD+E-BIKE / MTB+E-BIKE



**SPEED-E
R-5702**

SIZE	ETRTO	TPI	MAX. PSI
26x4.00	102-559	20/60/100/120	15-30

CATEGORY: FAT / PLUS PREMIUM

BICYCLE TYRE MAINTENANCE

To get the best out of your rides, it's essential to always maintain your bicycle and tyres.

You can do so by

- 1) Maintaining **optimal air pressure**.
- 2) The **tyre-tread depth** is maintained.
- 3) Checking whether the **wheels, rims or brakes** have sustained any damage.
- 4) Make sure the **tyre sidewall is not damaged**.

ELITE PERFORMANCE FOR ELITE RIDERS

27 INCHES

Designed to take on the demands of professional cycling, our tyres offer unparalleled speed, precision, and durability. With superior puncture protection technology and low-rolling resistance, experience the pinnacle of performance with every ride, whether you're training or racing.

RALSON
TYRES TREAD NEW PATHS



27
INCHES



**ENERGIA AX
R-2143**

SIZE	ETRTO	TPI	MAX. PSI
27x1 $\frac{3}{8}$	37-630	20	60

CATEGORY: CYCLO CROSS



**ENERGIA DX
R-2145**

SIZE	ETRTO	TPI	MAX. PSI
27x1 $\frac{3}{8}$	37-630	20	60

CATEGORY: CYCLO CROSS



**NZUKA
R-3152**

SIZE	ETRTO	TPI	MAX. PSI
27x1 $\frac{1}{2}$	37-630	20	60

CATEGORY: CYCLO CROSS



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.10	54-584	60/100/120	50
27.5x2.35	62-584	60/100/120	35-50

CATEGORY: MTB PREMIUM/E-BIKE PREMIUM



**CITY RIDE
R-3801**

SIZE	ETRTO	TPI	MAX. PSI
27x1 $\frac{1}{2}$	32-630	20	70

CATEGORY: CYCLO CROSS



**SPEED STAR
R-3802**

SIZE	ETRTO	TPI	MAX. PSI
27x1 $\frac{1}{4}$	32-630	20	70

CATEGORY: CYCLO CROSS

27
INCHES

RALSON
TYRES TREAD NEW PATHS



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
27.5 X2.50	64-584	60/100/120	23-50

CATEGORY: MTB PREMIUM



**E-MTB GRIP
R-3808**

SIZE	ETRTO	TPI	MAX. PSI
27.5 X2.50	64-584	60/100/120	35-50

CATEGORY: MTB PREMIUM



**OCTAVE
R-4126**

SIZE	ETRTO	TPI	MAX. PSI
27.5X2.10	54-584	20	30-50

CATEGORY: GRAVEL



**MICRO OCTAVE
R-4152**

SIZE	ETRTO	TPI	MAX. PSI
27.5X2.10	54-584	60/100/120	30-50
27.5X2.40	62-584	20/60/100/120	35-50

CATEGORY: GRAVEL PREMIUM /
E-BIKE PREMIUM



**EXPLORER MARCO
R-4153**

SIZE	ETRTO	TPI	MAX. PSI
27.5X2.10	54-584	60/100/120	30-50

CATEGORY: MTB PREMIUM



**LYNX
R-4154**

SIZE	ETRTO	TPI	MAX. PSI
27.5X2.35	60-584	60/100/120	50

CATEGORY: MTB PREMIUM/E-BIKE PREMIUM

27
INCHES



**HIMALAYAN TRAIL
R-4156**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.35	60-584	60/100/120	60
27.5x3.00	76-584	60/100/120	20-30

CATEGORY: MTB PREMIUM /
FAT / PLUS PREMIUM



**MOUNTAIN RIDER
R-4157**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.10	54-584	60/100/120	30-50

CATEGORY: MTB PREMIUM



**ALPINE TRAIL
R-4158**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.10	54-584	20	50

CATEGORY: MTB



**VECTOR
R-4159**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.35	60-584	60/100/120	60
27.5x2.40	62-584	60/100/120	35-55

CATEGORY: MTB PREMIUM



**SPECTRE
R-4162**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.25	57-584	60/100/120	60

CATEGORY: MTB PREMIUM



**DEFENDOR
R-4202**

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.125	54-584	20	35-45

CATEGORY: MTB

**MAKING REACH
COMPLIANT TYRES**
Fulfilling European
environmental norms



BUILT FOR THE EVERYDAY ADVENTURES

28 - 29 INCHES



Designed for India's hardworking cyclists, our tyres provide unmatched durability and reliability for your daily commute. Whether transporting goods or navigating busy streets, our tyres ensure a smooth and dependable ride every time.

RALSON
TYRES TREAD NEW PATHS



28
INCHES



**MAHABALI
R-1011**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**VAJRA SHAKTI
R-1012**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**RUF TUF
R-1101**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**MAHASHAKTI
R-1102**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**HIMALAYA
R-1103**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BLACK BULL
R-1104**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**DIAMOND SUPREME
R-1105**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**GOLDEN SUPREME
R-1106**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**CHETAK TUFANI
R-1107**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SUPER MASTER
R-1108**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**PUNJAB TIGER
R-1110**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**JANTA
R-1111**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**JET
R-1112**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ROYAL SAVARI
R-1114**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**RIB 2000
R-1115**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BLACK PANTHER
R-1116**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SUPER SHAKTI 2000
R-1117**

SIZE	ETRTO	TPI	MAX. PSI
28x1½x1.75	40-635	20	50

CATEGORY: ROAD



**DHOOM
R-1118**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**FAULADI TAKAT
R-1141**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**MAHATUF 27 P.R.
R-1142**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SUPERTUF 27 P.R.
R-1143**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BAHUBALI 36 P.R.
R-1144**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**LOAD STAR
R-1301**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**VIRAT SHAKTI
R-1302**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**MAHARAJA
R-1501**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BHEESHMA
R-1502**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BHUMI PUTRA
R-1801**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**AFRICA KING
R-2101**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**AGNIRATH
R-2102**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BLACK DIAMOND
R-2103**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**BLACK GOLD
R-2104**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**CENTURY
R-2105**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**CHAMPION
R-2106**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**GOLD MEDAL
R-2107**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**GOOD AIR
R-2108**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**LUCKY STAR
R-2109**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**MUSAFIR
R-2110**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**POWER KING
R-2111**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**POWER PLUS
R-2112**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**RING MASTER
R-2114**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**RUSTEM-E-ROAD
R-2115**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SHAKTIMAN
R-2116**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**V-2
R-2117**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**VEERCHAKRA
R-2118**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SEVEN STAR
R-2119**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**NYLON GRIP
R-2120**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**MEGA STAR
R-2121**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**STEEL BIRD
R-2122**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**SUPER GRIP
R-2123**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{3}{8}$	37-642	20	65
28x1 $\frac{5}{8}$ x1 $\frac{1}{4}$	32-622	20	70
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD



**TOUGH RIDER
R-2124**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD



**RALSON SUPERIOR
R-2125**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD



**NYLO TUFF
R-2131**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD



**SUPER SONIC
R-2141**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD



**ENERGIA AX
R-2143**

SIZE	ETRTO	TPI	MAX. PSI
28x1 $\frac{1}{2}$	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**ENERGIA BZ
R-2144**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ENERGIA DX
R-2145**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**AVENGER
R-2151**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**TUF GRIP
R-2152**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50
28x1.75	47-622	20	50

CATEGORY: ROAD / E-BIKE



**JUMBO POWER
R-2153**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ROYAL STAR
R-2154**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**BLACK MAMBA
R-2155**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**MAXLIFE
R-2201**

SIZE	ETRTO	TPI	MAX. PSI
28x1½x1¼	32-622	20	50
28x1½	40-635	20	50

CATEGORY: ROAD



**EXTRA ROADSTAR
R-2203**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**NYLO POWER
R-2301**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**TUFF MASTER
R-2302**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**JUMBO
R-2403**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**MAHASHAKTI 6 PLY
R-2501**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SAMRAT
R-2502**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SEVEN STAR SUPREME
R-2601**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ROAD RUNNER
R-2801**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**MAHANINJA
R-2802**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**BLACK BELT
R-2803**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD

28
INCHES



**NYLON GRIP
R-2804**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ULTRA TUFF
R-2805**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**SHAKTI CHAKRA
R-2806**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**ASTRA
R-3101**

SIZE	ETRTO	TPI	MAX. PSI
28x1½x1¾	37-622	20	60-75

CATEGORY: ROAD



**ROYAL HUNTER
R-3110**

SIZE	ETRTO	TPI	MAX. PSI
28x1½x1¾	32-622	20	70

CATEGORY: ROAD



**SPORTS
R-3112**

SIZE	ETRTO	TPI	MAX. PSI
28x1½x1¾	32-622	20	70

CATEGORY: ROAD

28
INCHES

RALSON
TYRES TREAD NEW PATHS



**ZIGMA
R-3117**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**URBAN LEGEND
R-3155**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50
28x1.75	47-622	20	50

CATEGORY: ROAD / E-BIKE



**URBAN STAR
R-3156**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50
28x1.75	47-622	20	50

CATEGORY: ROAD / E-BIKE



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	60/100/120	50

CATEGORY: MTB PREMIUM /
E-BIKE PREMIUM



**SUPER STAR
R-3203**

SIZE	ETRTO	TPI	MAX. PSI
28x1½	40-635	20	50

CATEGORY: ROAD



**PLANET
R-3502**

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50

CATEGORY: E-BIKE

28
INCHES



**STORM
R-4122**

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50

CATEGORY: ROAD



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
28x2.10	54-622	20	60

CATEGORY: E-BIKE PREMIUM

29
INCHES



**ENDURO GRIP
R-3807**

SIZE	ETRTO	TPI	MAX. PSI
29x2.50	64-622	60/100/120	23-50

CATEGORY: MTB PREMIUM



**E MTB GRIP
R-3808**

SIZE	ETRTO	TPI	MAX. PSI
29x2.50	64-622	60/100/120	35-50

CATEGORY: MTB PREMIUM



**TRAIL GRIP
R-3809**

SIZE	ETRTO	TPI	MAX. PSI
29x2.40	62-622	60/100/120	45-60

CATEGORY: MTB PREMIUM



**MICRO OCTAVE
R-4152**

SIZE	ETRTO	TPI	MAX. PSI
29x2.10	54-622	60/100/120	30-50
29x2.40	62-622	20/60/100/120	35-55

CATEGORY: GRAVEL PREMIUM /
E-BIKE PREMIUM

29
INCHES

RALSON
TYRES TREAD NEW PATHS



**EXPLORER MARCO
R-4153**

SIZE	ETRTO	TPI	MAX. PSI
29x2.10	54-622	60/100/120	30-50

CATEGORY: MTB PREMIUM



**EXPLORER VASCO
R-4154**

SIZE	ETRTO	TPI	MAX. PSI
29x2.10	54-622	60/100/120	30-50

CATEGORY: MTB PREMIUM



**LYNX/CARPATIAN
R-4154**

SIZE	ETRTO	TPI	MAX. PSI
29x2.25	57-622	20/60/100/120	60

CATEGORY: MTB PREMIUM / E-BIKE PREMIUM



**HIMALAYAN TRAIL
R-4156**

SIZE	ETRTO	TPI	MAX. PSI
29x2.40	62-622	60/100/120	60

CATEGORY: MTB PREMIUM



**MOUNTAIN RIDER
R-4157**

SIZE	ETRTO	TPI	MAX. PSI
29x2.10	54-622	60/100/120	30-50

CATEGORY: MTB PREMIUM



**ALPINE TRAIL
R-4158**

SIZE	ETRTO	TPI	MAX. PSI
29x2.10	54-622	20	50

CATEGORY: MTB

29
INCHES



**VECTOR
R-4159**

SIZE	ETRTO	TPI	MAX. PSI
29x2.40	62-622	60/100/120	60

CATEGORY: MTB PREMIUM



**SPECTRE
R-4162**

SIZE	ETRTO	TPI	MAX. PSI
29x2.25	57-622	60/100/120	60

CATEGORY: MTB PREMIUM



**ACER GOLDEN
R-5701**

SIZE	ETRTO	TPI	MAX. PSI
29x2.00	50-622	60/100/120	50-65

CATEGORY: MTB PREMIUM / E-BIKE PREMIUM

A GREEN FOOTPRINT

56% OF RAW-MATERIALS

Used are sustainable

Here at Ralson, we believe in paving the future with green mobility. Our approach of delivering quality products coincides with our endeavours to conserve nature's eco-system. Our strategies foster longevity and we're fully committed to preserving the environment. 56% of the total raw materials consumed in our current materials usage pattern is sustainable. That's a small example of how we ensure that our journey remains purposeful.

100% SUSTAINABLE

Energy source

By choosing sustainable materials, we've adopted innovative methods of tyre manufacturing that reduce carbon emissions. All industrial rubber waste is mindfully repurposed to reduce toxicity. With hundreds of tree saplings planted in and around the four Ralson factories, the lush-green cover makes way for clean, breathable air. Besides this, we use rice husk as fuel for the energy source for our boilers which is 100% sustainable. That's a small example of how we ensure that our journey remains purposeful.



**56% OF
RAW-MATERIALS**



**100%
SUSTAINABLE**

CHARGE AHEAD WITH RALSON

E-BIKES

E-bike tyres are designed to be tougher and more reliable with extra puncture protection to reduce the hassle of frequent tyre changes. This helps keep the complex E-bike components safe and ensures a smoother ride.

RALSON
TYRES TREAD NEW PATHS



E-BIKE



TUF GRIP R-2152

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50

CATEGORY: E-BIKE



ROAD REBEL R-2401

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	60-75
700x38C	40-622	20	60-75

CATEGORY: E-BIKE



VELOCITY R-3152

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	50-75
700x38C	40-622	20	50-75

CATEGORY: E-BIKE



URBAN LEGEND R-3155

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50
700x28C	28-622	20	85-115
700x32C	32-622	20	75
700x35C	37-622	20	50-75
700x38C	40-622	20	50-75
700x40C	42-622	20	50-75

CATEGORY: E-BIKE



URBAN STAR R-3156

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50
700x35C	37-622	20	50-75
700x38C	40-622	20	75

CATEGORY: E-BIKE



STREET SURGE R-3158

SIZE	ETRTO	TPI	MAX. PSI
28x1.75x2.0	47-622	20	50

CATEGORY: E-BIKE



URBAN STAR PRO
R-3160

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	55-85

CATEGORY: E-BIKE



ELECTRO TREAD
R-3201

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50
28x1 $\frac{1}{8}$ x1 $\frac{1}{8}$	37-622	20	50-75
700x38C	40-622	20	50-75

CATEGORY: E-BIKE



PLANET
R-3502

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50

CATEGORY: E-BIKE



ECO RIDGE
R-4117

SIZE	ETRTO	TPI	MAX. PSI
28x1.75	47-622	20	50

CATEGORY: E-BIKE



VELOCITY
R-3152

SIZE	ETRTO	TPI	MAX. PSI
700x40C	42-622	20	60
700x45C	47-622	20	50

CATEGORY: E-BIKE PREMIUM



BUMBLE BEE
R-4602

SIZE	ETRTO	TPI	MAX. PSI
28x2.10	54-622	20	60
700x45C	47-622	20/60/100/120	55

CATEGORY: E-BIKE PREMIUM

MTB + E-BIKE PREMIUM



TORNADO R-3162

SIZE	ETRTO	TPI	MAX. PSI
26x1.75	47-559	60/100/120	60
27.5x2.10	54-584	60/100/120	50
27.5x2.35	62-584	60/100/120	35-50
28x1.75	47-622	60/100/120	50

CATEGORY: MTB PREMIUM /
+ E-BIKE PREMIUM



LYNX R-4154

SIZE	ETRTO	TPI	MAX. PSI
27.5x2.35	60-584	60/100/120	50
29x2.25	57-622	20/60/100/120	60

CATEGORY: MTB PREMIUM /
+ E-BIKE PREMIUM



ACER GOLDEN R-5701

SIZE	ETRTO	TPI	MAX. PSI
29x2.00	50-622	60/100/120	50-65

CATEGORY: MTB PREMIUM /
+ E-BIKE PREMIUM

ROAD E-BIKE



ACER GOLDEN R-5701

SIZE	ETRTO	TPI	MAX. PSI
26x1.50	40-559	20	40-65

CATEGORY: ROAD + E-BIKE

GRAVEL + E-BIKE PREMIUM



MICRO OCTAVE R-4152

SIZE	ETRTO	TPI	MAX. PSI
26x2.40	62-559	20/60/100/120	35-55
27.5x2.40	62-584	20/60/100/120	35-50
29x2.40	62-622	20/60/100/120	35-55

CATEGORY: GRAVEL PREMIUM
+ E-BIKE PREMIUM



**TORNADO
R-3162**

SIZE	ETRTO	TPI	MAX. PSI
24x1.75	47-507	20	60

CATEGORY: BMX + E-BIKE



**MATRIX
R-4149**

SIZE	ETRTO	TPI	MAX. PSI
20x2.40	62-406	20	50

CATEGORY: BMX + E-BIKE



**SLICK RIDE
R-4166**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	30-50

CATEGORY: BMX + E-BIKE



**BUMBLE BEE
R-4602**

SIZE	ETRTO	TPI	MAX. PSI
20x2.125	54-406	20	35-45
20x2.25	57-406	20	40-65
20x2.35	60-406	20	35-45
20x2.40	62-406	20	35-45
24x2.125	54-507	60/100/120	35-65
24x2.125	54-507	20	35-50

CATEGORY: BMX + E-BIKE



**ACER GOLDEN
R-5701**

SIZE	ETRTO	TPI	MAX. PSI
20x2.35	60-406	20	35-45

CATEGORY: BMX + E-BIKE

700
SERIES



VELOCITY
R-3152

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	50-75
700x38C	40-622	20	50-75

CATEGORY: E-BIKE



VELOCITY
R-3152

SIZE	ETRTO	TPI	MAX. PSI
700x40C	42-622	20	60
700x45C	47-622	20	50

CATEGORY: E-BIKE PREMIUM



AIR
R-3153

SIZE	ETRTO	TPI	MAX. PSI
700x23C	23-622	60/100/120	87-116
700x25C	25-622	60/100/120	73-116
700x28C	28-622	60/100/120	85-115

CATEGORY: GRAVEL PREMIUM



ROCK ON
R-3154

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	60/100/120	50-75
700x40C	42-622	60/100/120	50-75
700x42C	44-622	60/100/120	75
700x45C	47-622	20	50

CATEGORY: GRAVEL PREMIUM



FLY/PATAGONIN
R-3155

SIZE	ETRTO	TPI	MAX. PSI
700x28C	28-622	20	85-115
700x32C	32-622	20	75

CATEGORY: E-BIKE



URBAN LEGEND
R-3155

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	50-75
700x38C	40-622	20	50-75
700x40C	42-622	20	50-75

CATEGORY: E-BIKE

700
SERIES



URBAN STAR
R-3156

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	20	50-75
700x38C	40-622	20	75

CATEGORY: E-BIKE



ORYX
R-3157

SIZE	ETRTO	TPI	MAX. PSI
700x35C	37-622	60/100/120	50-75

CATEGORY: GRAVEL PREMIUM



MICRO OCTAVE
R-4152

SIZE	ETRTO	TPI	MAX. PSI
700x32C	32-622	20	75
700x35C	37-622	20	60
700x40C	42-622	20	60
700x45C	47-622	20	50

CATEGORY: GRAVEL PREMIUM




BUMBLE BEE
R-4602

SIZE	ETRTO	TPI	MAX. PSI
700x45C	47-622	20/60/100/120	55

CATEGORY: E-BIKE PREMIUM



MILESTONES THAT
KEEP US MOVING



RALSON (INDIA) LIMITED

Works & Corporate Office: Ralson Nagar, G.T. Road, Ludhiana - 141003, Punjab (India)

Phone: +91-161-2511501 UPTO 2511510

E-mail: ho@ralson.com, info@ralson.com, sales@ralson.com & exports@ralson.com

Delhi Office-1: Office No. 812-816, 8th Floor, Narain Manzil,
23-Barakhamba Road New Delhi-110001, Phone : 011-45592500,45592509

Delhi Office-2: J-38, Udyog Nagar, Rohtak Road, Delhi-110041
Phone : +91-11-25473917,25966729 & 45065221

In case of customer queries or complaints, please contact:

+91-161-2511501 UPTO 2511510 (9:00 am to 5:30 pm | Mon-Sat)

E-mail: customercare@ralson.com, **Web:** Ralson.com



Scan the QR code
for RALSON Website